
•	UTAH OIL AND GAS CONSERVATION COMMISSION					₹;	,						
REMARKS:	WELL LOG	ELE	CTRIC LOGS	FILE	X	WATER SANDS	LOCAT	ION INSPECTE	D	SU	B. REPORT. abd.		
DATE FILED	2-14-8	83											
LAND. FEE & P			EASE NO.				PUBLIC LEASE NO.				INDIAN I-1	49-IND	<del>-7180</del>
DRILLING APPR	ROVED. $2-2$	22-83											
SPUDDED IN			·										
COMPLETED		<u> </u>	PUT TO PRO	DUCING:									
INITIAL PRODU	ICTION:												
GRAVITY A P I													
GOR.													
PRODUCING ZO	ONES.												
TOTAL DEPTH													
WELL ELEVATION	ON:				•								
DATE ABANDO	NED H	·Cip	dicatio	nke	seu	rded	9-7-86						
FIELD	BOUND!	ARY BUT	TE	<u> </u>									
UNIT.	JOA_									·			
COUNTY:	SAN JU					<u> </u>							
WELL NO.		SH_WN_#					API	NO. 43	-037-30	0871			
LOCATION	1370	F.	T. FROM (N)XSXLINE		90	1	FT. FROM (E) <b>Ж)</b>	LINE.	SE NE		1/4 1/4 SEC.	21	
TWP.	RGE.	SEC	OPERATOR				TWP	RGE.	SEC.	OPERATOR			
			!						1				
43\$	22E	21	ARCO OIL	€ GA	s co	MPANY							

Requested topo exception to 124-1 open telecom with Walther 2-14-73

Recd 2-22-83

## SUBMIT IN TE CATE

Form 9-881 C (May 1963)	1	-	SUBMIT IN TI	CATE.	Form approved. Budget Bureau No. 42-
(May 1900)	רואט	TED STATES	(Other instruc reverse si	de)	/
		T OF THE INTER	RIOR		. LEASE DESIGNATION AND SERIA
	GEOLO	GICAL SURVEY			I-149-IND-7180
4 BBI (C 4 TIG)			C 20 00 1/2	A C14 6	3. IF INDIAN, ALLOTTER OR TRIBE
APPLICATION	N FOR PERMIT	IO DKILL, DEEP	EN, OK PLUG B	ACK	Navajo
a. Tipe of Work	ILL 😡	DEEPEN	PLUG BAC	~ ¬ ¬	. UNIT AGREEMENT NAME
UR: D. TIPE OF WELL	irr 🕅	DEEPEIN [	FEOG BAC	~ -	JOA
OIL C	VELL OTHER		INGLE MULTIP		. FARM OR LEASE NAME
NAME OF OPERATOR		Gas Company, a			
	Atlantic Rich:		7/1/1/37		. WELL NO.
ADDRESS OF OPERATOR			10 C	7.a. L	English WN #38
P. O. Box	5540. Denver. (	Colorado 802		S/20 10	0. Pielő and Pool, or Wildca:
At surface	leport location clearly and			1/1	Boundary Butte
1370	FNL & 90' FEL	, Section 21-43	STAZED.		LAND SURVEY OR ARM
At proposed prod. sor			Colle. 1	83	Sec. 21-435-22E
ADDIC DISTANCE IN MILES	Oximately the SE AND DESCRION FROM NEAR	ane Rest town or post offic	CASSON O	$\mathcal{S}$	COUNTY OR PARISH   18, STAT
	tely 12 miles to				San Juan U
DISTANCE FROM PROP	USED	16. N	OF ACRES IN LANGE		ACRES ASSIGNED
PROPERTY OR LEASE I (Also to nearest dr)	Line. Pt.	3910'	7040	TO THIS	10
DISTANCE FROM PROI	POSED LOCATION®		ROPOSED DEPTH	20. ROTABY	OR CABLE TOOLS
OR APPLIED FOR, ON TH	ORILLING, COMPLETED, HIS LEASE, FT.	510'	1756' من	R	otary
. ELEVATIONS (Show wb	ether DF, RT, GR, etc.)		C	<u> </u>	22. APPROX. DATE WORK WILL S
	R 5456'				March 1, 1983
•	1	PROPOSED CASING AND	CEMENTING PROGRA	M	
	T	WRIGHT PER FOOT	SETZING DEPTH	<del>r</del>	
SIZE OF HOLE	SIZE OF CASING	MAINTI LEW LOOT			QUANTITY OF CRMENT
				Cmt to	
12-1/4" 7-7/8"	8-5/8" 5-1/2"	24# K-55 STC	160'		surf w/100% excess
12-1/4" 7-7/8" * Note: In c	8-5/8" 5-1/2"  our Notice of St English WN #37, I is the English	24# K-55 STC 15.5# K-55 STC taking dated 7/1 , this was an er	160' 1756' 13/82, we refer error. The correc	ced to the ct name	surf w/100% excess surf w/30% excess he subject well as for the subject
* Note: In o the well corr Exhibits Attac 1) Certifie 2) Access t 3) Wells wi 3a) Location 4) Drillsit	8-5/8" 5-1/2"  cur Notice of Standlish WN #37/8 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Tank Batter the Layout as Standling to Location ithin the English of Tank Batter the Layout as Standling the	24 K-55 STC 15.5 K-55 STC taking dated 7/1 this was an en the WN #38. All for the Unit	160' 1756'  13/82, we referred the correction of the correspond the correspond of th	ced to the trame in the certification of the certif	surf w/100% excess surf w/30% excess he subject well as for the subject he reflect the
* Note: In of the well correct the well success the well	8-5/8" 5-1/2"  cur Notice of Stronglish WN #37/8 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Tank Batter the Layout as State of Tank Batter the L	24 K-55 STC 15.5 K-55 STC taking dated 7/1 this was an end who #38. All for the was an end who was a	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the ct name in the cent of the cen	surf w/100% excess  ne subject well as for the subject he reflect the
* Note: In of the well correct the well wells with the well success to the well success the well success to the well success	8-5/8" 5-1/2"  cur Notice of Stringlish WN #37/8 is the English rect well name.  Ched:  de Location Plate to Location ithin the English to Location ithin the English of Tank Batter te Layout as State PROPOSED PROGRAM: If it drill or deepen directions y.	24 K-55 STC 15.5 K-55 STC taking dated 7/1 this was an end who #38. All for the was an end who was a	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the ct name in the cent of the cen	surf w/100% excess surf w/30% excess he subject well as for the subject ll reflect the
* Note: In of the well correct the well success the well	8-5/8" 5-1/2"  cur Notice of Stringlish WN #37/8 is the English rect well name.  Ched:  de Location Plate to Location ithin the English to Location ithin the English of Tank Batter te Layout as State PROPOSED PROGRAM: If it drill or deepen directions y.	24 K-55 STC 15.5 K-55 STC taking dated 7/1 this was an end who #38. All for the was an end who was a	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the ct name in the cent of the cen	surf w/100% excess  ne subject well as for the subject he reflect the
* Note: In of the well correct the well success the well success the well success the well success the well correct the well	8-5/8" 5-1/2"  cur Notice of Stringlish WN #37/8 is the English rect well name.  Ched:  de Location Plate to Location ithin the English to Location ithin the English of Tank Batter te Layout as State PROPOSED PROGRAM: If it drill or deepen directions y.	24  K-55 STC  15.5  K-55 STC  taking dated 7/1 this was an end WN #38. All for  the cies aked  proposal is to deepen or gully, give pertinent data of	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the ct name in the cent of the cen	surf w/100% excess  ne subject well as for the subject he reflect the
* Note: In of the well correct the well wells will be well successful the well correct the	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24  K-55 STC  15.5  K-55 STC  taking dated 7/1  this was an en  WN #38. All for  the cies  aked  proposal is to deepen or pully, give pertinent data of  BLM  TITLE Dis	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the ct name in the cent of the cen	surf w/100% excess  ne subject well as for the subject he reflect the
* Note: In of the well corrections and the well corrections at the well corrections and the well corrections and the wells with the wells with the wells with the wells with the well state of t	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24\$ K-55 STC  15.5\$ K-55 STC  taking dated 7/1 this was an entry t	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the trame is dence will section outprent agram ological esent productions of the content	surf w/100% excess  surf w/30% excess  he subject well as for the subject he reflect the  of drill pad  Resolution  Give he  DATE
* Note: In of the well corrections at the well success the wells will be well success the well considered at the well success the well considered well at the well corrections	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24\$ K-55 STC  15.5\$ K-55 STC  taking dated 7/1 this was an entry t	160' 1756'  13/82, we referred to the correction of the correction of the correspond	cent to the trame is dence will section outprent agram ological esent productions of the content	surf w/100% excess  surf w/30% excess  he subject well as for the subject he reflect the  of drill pad  Resolution  Give he  DATE
* Note: In of the well corrections at the well success the wells will be well success the well considered at the well success the well considered well at the well corrections	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24\$ K-55 STC  15.5\$ K-55 STC  taking dated 7/1 this was an entropy and the state of	160' 1756'  13/82, we referred to the correction of the correction of the correspond	ced to the trame in the cent of the cent o	surf w/100% excess  ne subject well as for the subject he reflect the  of drill pad  Give b  DATE  79
* Note: In of the well corrections at the well success the wells will be well success the well considered to be well at the well corrections at the we	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24\$ K-55 STC  15.5\$ K-55 STC  taking dated 7/1 this was an entropy and the state of	160' 1756'  13/82, we referred to the correction of the correction of the correspond	ced to the trame in the cent of the cent o	surf w/100% excess  ne subject well as for the subject he reflect the  of drill pad  Give b  DATE  79
* Note: In of the well correct the well success the wells with the well contained the well state of the well correct the well state of the well correct the wel	8-5/8" 5-1/2"  Dur Notice of Stenglish WN #37/1 is the English rect well name.  Ched:  ed Location Plate to Location ithin the English to Information of Tank Batter the Layout as State of Tan	24\$ K-55 STC  15.5\$ K-55 STC  taking dated 7/1 this was an entropy and the state of	160' 1756'  13/82, we referred to the correction of the correction of the correspond	ced to the trame in the cent of the cent o	surf w/100% excess  surf w/30% excess  he subject well as for the subject he reflect the  of drill pad  Resolution  Give he  DATE



	, and åt. 1					
	4707 T.B	A.R.Co. 50% Opr. Conoco etal 50%				!
						f   
A.R.Co.	A.R.Co.					<u> </u>
·						Ì
	•,	Eldorado Sinclair				!
17	. 16 •**	15 — 15 — A R.Co.	14	13	18	į
	⊕ <sup>26</sup> → 124 1200 r.a.		Proposed		·	; ! !
•	•" •"	↓ 16 ↓ 1300 T.B.	Proposed English WN#38			# #
A.R.Co. Sunray	A.R.Co. ● 10 ● 15 → 22 a	● <sup>10</sup> AR.Co	A R.Co.			
, 6641 т.е.	Ψ	• • • • • • • • • • • • • • • • • • • •				! !
	* **	27 d 1445 TO 15 15 15 15 15 15 15 15 15 15 15 15 15	Mutual Oil			! !
20	21	e <sup>20</sup> e <sup>30</sup> g <sup>2</sup> 22 d <sup>3</sup>	Mutual Oil	24	19	: 
	•*	•** •**				,   
$\omega$		37				† † 1
#		A.R.Co	ARCo.			
+			*			
-0						
29 7	28	27	26	25	1-149 INDIAN	7180
X						
Ш	. '					
			ARCo.			
32	33	34	35	36	31	
<b>♦¹</b> •••• т•						
					11 	
	UTAH		<u>L</u>			
	ARIZONA R 2	72 F		•		

#### TEN POINT DRILLING PLAN

Attach to APD Form 9-331-C ARCO Oil and Gas Company English Unit WN #38 1370' FNL & 90' FEL Section 21-43S-22E San Juan County, Utah

1. <u>Surface Geological Formation:</u> Jurassic-Triassic Glen Canyon Group (Wingate)

## 2. Estimated Tops of Geological Markers:

Chinle - 525'
Shinarump - 1240'
Moenkopi - 1345'
Coconino - 1556'
TD - 1756'
Organ Rock - 1805'

## 3. Estimated Tops of Possible Water, Oil, Gas or Minerals:

Coconino - 1556' (oil)

## 4. Proposed Casing Program:

Casing	Hole Size	Interval	Section Length	Size OD	Weight Grade and Joint	New Used
Conductor	None					
Surface	12-1/4"	0- 160'	160'	8-5/8"	24#,K-55,STC	New
Intermedicate	None					
Production	7-7/8"	160–1756'	1596'	5-1/2"	15.5#,K-55,STC	New
Liner	None					
Comont						

Cement

Program

Conductor

NA

Surface

110 sx Class "B" cmt. Cmt to surface with 100%

excess.

Intermediate

NA

## 4. Proposed Casing Program Cont'd:

Production

165 sx Howco Lite and 100 sx Class "B". Cmt to surface

w/30% excess.

Liner

NA

## 5. Control Equipment:

Blowout Preventor -

Ram Type, hydraulically or manually operated

Rams - Two: One blind ram and one pipe ram.

Series - 900 (3000#WP, 6000#T)

Pressure test @ 1000 psi prior to drilling out surface csg string. Operational checks to be made

daily and on trips.

## 6. Type and Characteristic of Proposed Drilling Fluids:

<u>Depth</u>	Туре	Weight #/gal.	Visc. sec/qt.	Fluid Loss cc
0- 160'	Fresh wtr gel	8.7	35	20+
160- TD	LSND	8.7	35	10-15

## 7. Auxiliary Equipment: Kelly cock

Sub on floor with full opening valve for use in

drill pipe when Kelly is not in the string.

## 8. Testing, Logging and Coring Programs:

At this time no drill stem tests or cores are planned. However, hole conditions or other information obtained while drilling may alter these plans.

Logs: Open Hole - DIL/SP TD - Surf Csg 2" & 5" = 100' CNL-FDC/GR/Cal TD - Surf Csg 2" & 5" = 100'

Cased Hole - GR/CCL When perforating

At this time it is anticipated that this well will require a frac job of approximately 20,000 gallons of Lease Crude Oil and Sand.

## 9. Anticipated Abnormal Temperatures, Pressures or Hazards:

There are no abnormal pressures, temperatures or potential hazards in the area. The maximum anticipated pressure is 750 psi at TD. Weight material will be maintained on location and BOP will be pressure tested and kept in good working condition.

## 10. Anticipated Starting Date and Duration of Operations:

Depending upon District Engineer's approval, the dirt work on this location could be commenced in February, 1983. Move in and rig up (1 day), drilling and completion (9 days). Any delays in obtaining equipment, drilling rig, etc., could considerably extend these estimated days. It is estimated that the earliest this well could be spudded would be March 1, 1983.

#### 13-POINT PLAN SURFACE USE PLAN

Attached to Form 9-331C ARCO Oil and Gas Company English WN #38 1370' FNL & 90' FEL Section 21-43S-22E San Juan County, Utah

## 1. Existing Roads:

- A. The proposed location is staked as shown in the Certified Location Plat Exhibit 1.
- B. The location is reached by taking State Highway #504 west out of Shiprock to Teec Nos Pos. Turn onto U. S. Highway #160 west and continue to a point 4 miles west of the Red Mesa Trading Post. Turn right onto the dirt road which should have a sign indicating that the dirt road leads to the English Unit. Continue north on the dirt road to the roads marked on the topographic map. Follow the lease roads shown past Tank Battery #1 to the well location.
- C. Access road is shown in Exhibit 2.
- D. This is a development well.
- E. The existing roads within a one (1) mile radius of this location are on Exhibit 2.
- F. Exisiting roads will not require any improvement, but in the event of bad weather or other conditions, the roads will be maintained to whatever extent is required.

## 2. Planned Access Roads: (Only 10' to 50' in length)

- A. The access road will be approximately 18 feet wide.
- B. The grade will be less than 8%.
- C. No turnouts are required.
- D. Drainage will be used as required.
- E. No culverts will be used.
- F. No additional materials will be required.
- G. No cattlguards are required.

## 3. Location of Existing Wells:

Within the boundaries of the English Unit there have been 37 wells drilled to date. The following is a summary of the status of the wells:

#### 18 Cononio Producers

7 Paradox wells currently shut-in, of which 2 are being vented to heat the 2 tank batteries within the Unit

#### 12 Dry holes

Also within the Unit boundary there are none of the following:

- 1) Water wells
- 2) Disposal wells
- 3) Drilling wells
- 4) Injection wells
- 5) Monitoring or observation wells

Exhibit 3 & 3a is a map of the English Unit which shows all the wells that have been drilled. Exhibit 3a shows the location of the two tank batteries that are in the Unit.

## 4. Location of Existing and/or Proposed Facilities:

- A. Within the English Unit the 18 Coconio producers are equipped with pumping units, and the two tank batteries are located in the NW/4 NW/4 of Section 22 and SW/4 NW/4 of Section 16 respectively (See Exhibit #3a).
- B. If the well is productive, we propose to pipe its production to Tank Battery #1 located in the NW/4 of Section 22.
- C. Rehabilitation, whether well is productive or dry, will be made on all unused areas in accordance with B.I.A. stipulations.

#### Location and Type of Water Supply:

- A. We will utilize produced water from Battery #1 located in NW/4 NW/4 of Section 22 (See Exhibit #3a).
- B. All water will be hauled by truck or piped to location.
- C. No wells will be drilled.

- 6. Construction Materials: No materials will be required.
- 7. Handling of Waste Materials and Disposal:
  - A. Drill cuttings will be buried in the reserve pit.
  - B. Drilling fluids will be handled in the reserve pit.
  - C. Any fluids produced during drilling test or while making production test will be collected in a test tank. If a test tank is not available during drilling, fluids will be handled in reserve pit. Any spills of oil, gas, salt water or other noxious fluids will be cleaned up and removed. If well is productive, produced water will be disposed of on-site for 30 days only, or 90 days with permission of District Supervisor. After that time application will be made for approval of permanent disposal methods in compliance with NTL-2b.
  - D. Toilet facilities will be provided for human waste.
  - E. Garbage and non-flammable waste and salts and other chemicals produced during drilling or testing will be handled in trash pit. Flammable waste will be disposed of in burn pit. Drill fluids, water, drilling mud and tailings will be kept in reserve pit. Reserve pit will be fenced on three sides during drilling and the fourth side fenced upon removal of the rig.
  - F. After the rig moves out, all materials will be cleaned up and no adverse materials will be left on location. All dangerous open pits will be fenced during drilling and kept closed until such time as the pit is leveled.

#### 8. Ancillary Facilities:

No air strip, camp or other facilities will be built during drilling of this well.

#### 9. Well Site Layout:

- A. Cuts and fill have been drafted to visualize the planned cut across the location spot and the deepest part of the pad (see Exhibit 5).
- B. Exhibit 6 is a plan diagram of the proposed rig and equipment, reserve pit, trash/burn pit, pipe racks and mud tanks. No permanent living facilities are planned. There will be 1 or 2 trailers on location.
- C. Exhibit 4 shows drill pad layout as staked.
- D. The reserve pits will not be lined.

#### 10. Plans for Restoration:

- A. If well is abandoned, site will be restored to original condition as nearly as possible. Backfilling, leveling and contouring are planned as soon as all pits have dried. Waste disposal and spoils materials will be buried or hauled away immediately to an approved sanitary land fill after drilling is completed. If production is obtained, the unused area will be restored as soon as possible.
- B. The soil banked material will be spread over the area. Revegetation will be accomplished by planting mixed grasses as per formula provided by the BIA. Revegetation is recommended for the brief access road area, as well as around drill pad.
- C. Three sides of the reserve pit will be fenced during drilling operations. Prior to rig release, the reserve pit will be fenced on the fourth side to prevent livestock or wildlife from entering; and the fencing will be maintained until leveling and cleanup are accomplished.
- D. If any oil is on the pits and is not immediately removed or burned after operations cease, the pit containing the oil or other adverse substances will be flagged overhead or covered with wire mesh.
- E. The rehabilitation operations will begin immediately after the drilling rig is removed. Removal of oil or other adverse substances will begin immediately or area will be flagged and fenced. Other cleanup will be done as needed. Planting and revegetation will be done as recommended by surface management agency.

#### 11. Other Information:

- A. Vegatation is Morman Tea, Indian Rice Grass, Rabbit Brush, Yucca and Brown Snake Weed.
- B. Drainage is to the southwest.
- C. The nearest water supply is approximately 1/4 mile northeast at the #1 Tank Battery (See Exhibit #3a).
- D. The nearest dwellings are approximately 4 miles southeast of location where 3 homes are located.
- E. The nearest town, trading post and school is Red Mesa, 12 miles to the southeast. Montezuma Creek, Utah is approximately 28 miles northeast of location.
- F. The anticipated starting date is March 1, 1983 and will require approximately 5 days to drill and an additional 4 days to complete the well if it is successful.

## 11. Other Information Cont'd:

- G. An archaeological survey was conducted at the onsite inspection. No inventories of archaeological sites were discovered. Exhibit 8 is a copy of the Archaeology report.
- H. There are 2 pipelines running across the south side of the proposed pad. These lines (a 1-1/2" fuel gas line and a 3-1/2" oil flow line) will be dragged off the southern edge of the pad. The subsurface high pressure gas line (currently shut in) is 15' south of the southern boundary of the pad.
- I. Currently there exists a power line with one power pole running electricity down to our #33 well. This line, running through the center of our proposed location as shown in Exhibit #4, will be rerouted to one of two locations. Either a line will be extended to Well #33 from Well #16 (NE of our proposed pad), or a line will be taken off the main lines close to Well #12 and extended to Well #33. The actual rerouting of the line will be handled by the personnel of our Farmington office.

## 12. Lessee's or Operator's Representative:

W. A. Walther, Jr.
ARCO Oil and Gas Company
P. O. Box 5540
Denver, Colorado 80217
Bus. Tele: (303) 293-7031
Res. Tele: (303) 575-1342

J. M. McCarthy ARCO Oil and Gas Company P. O. Box 5540 Denver, Colorado 80217 Bus. Tele: (303) 293-7127 Res. Tele: (303) 575-1339

#### 13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by ARCO Oil and Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

2-10-1983

W. A. Walther, Jr

District Manager of Production ARCO Oil and Gas Company

Exhibit 3A Proposed English WN #38 V23 16 15 21 22








Exhibit #5


OIL WELL ELEVATIONS — LOCATIONS
ENVIRONMENTAL — ARCHAEOLOGICAL SERVICES
600 SOUTH CHERRY STREET, SUITE 1201
DENVER, COLORADO 60:22
PHONE NO. 303/321-2217


Cut ////// 4500 cy Fill: 2700 cy

Scales: 1"=50'H. 1'=20'V.












Exhibit 8 Report No. 242

SURVEY OF CULTURAL RESOURCES

FOR ARCO OIL AND GAS COMPANY'S

PROPOSED RELOCATION OF ENGLISH WN NO. 38 WELL SITE

NAVAJO RESERVATION, UTAH

Also sent to Tom Perry BIA Window Rock

Prepared by

Jamie A. Karlson
Senior Staff Archaeologist
ARCHAEOLOGICAL CONSULTANTS
Robert W. Biggs, Principal Investigator
Durango, Colorado 81301

January 20, 1983

Prepared for

ARCO OIL AND GAS COMPANY Denver, Colorado 80217

Navajo Antiquities Permit No. 1982-17 Federal Antiquities Permit No. 82-AZ/NM/UT-245

# SURVEY OF CULTURAL RESOURCES FOR ARCO OIL AND GAS COMPANY'S PROPOSED RELOCATION OF ENGLISH WN NO. 38 WELL SITE NAVAJO RESERVATION, UTAH

A survey of archaeological and historical resources was conducted for ARCO Oil and Gas Company's proposed relocation of English WN No. 38 well site (formerly No. 37). The proposed relocated well site is located 1370 feet FNL and 90 feet FEL in the SE½ of the NE½ of Section 21, Township 43 South, Range 22 East (unsurveyed township), Salt Lake Meridian, San Juan County, Utah, UTM center point: 12: 633850E 4100075N (see attached map). The access road, as detailed on the map, is approximately 75 feet long, and crosses portions of the SE½ of the NE½ of Section 21 from an existing road (UTM coordinates: 12: 633900E 4100075N). The proposed location and access road are situated on property owned by the Navajo Nation.

On January 19, 1983, Jamie A. Karlson, Senior Staff Archaeologist for Archaeological Consultants, accompanied Peter Tibbitts and Otto Degner of ARCO Oil and Gas Company, and Gerald Huddleston, surveyor for Powers Elevation. The number of the proposed location has been changed from No. 37 to No. 38 by ARCO. The center stake was moved 80 feet to the north toward the rim of Gothic Creek Canyon and the size of the well pad was reduced. The access road remains as originally proposed. The proposed location as altered, lies entirely within the area examined by the archaeologist on July 15 and 20, 1982 (see "SURVEY OF CULTURAL RESOURCES FOR ARCO OIL AND GAS COMPANY'S PROPOSED ENGLISH WN NO. 37 WELL SITE AND ACCESS ROAD, J. Karlson, submitted July 21, 1982).

The inspection was conducted in order to comply with legal provisions contained in the Act for Preservation of American Antiquities of 1906 (34 Stat. 225, 16, U.S.C. 431 et seq.), the National Environmental Policy Act of 1969 (83 Stat. 852, 42, U.S.C. 431 et seq.), and Federal Executive Order 11593.

The survey was conducted under the terms of the Navajo Nation Antiquities Permit No. 1982-17 and Federal Antiquites Permit No. 82-AZ/NM/UT-235.

#### ENVIRONMENTAL DESCRIPTION

The proposed well site and access road are situated on sandstone caprock on the top of Boundary Butte Mesa overlooking Gothic Creek Canyon to the northwest. The flora consists of sparse growths of broom snakeweed, wolfberry, sage, and blackbrush. The soils are exfoliated sand and sandstone fragments.

#### SURVEY METHODS


Areas extending 25 feet on both sides of the flagged access route and an area 350 feet x 400 feet area around the proposed location were walked and examined for surface evidence of archaeological and historical resources which would be subject to direct impacts by the preparation of the drilling pad, pits, access road, or drilling activities. An approximate total of 3.2 acres was examined in conjunction with this survey, while adjacent areas were given a cursory inspection for cultural resources which might be subject to indirect impacts from construction or drilling activities.


#### RESULTS OF SURVEY

No surface evidence of archaeological or historical resources was found at the proposed location or along the access route. No evidence of cultural resources in adjacent areas was found which might be subject to indirect impacts from the preparation of the well site or from drilling activities. No sites listed in the National Register of Historic Places are within the proximity of the work area.

#### RECOMMENDATIONS

Since the proposed location as altered lies entirely within the area previously examined for cultural resources, no further work is deemed necessary. Should subsurface archaeological materials be encountered during preparation of the well site or construction of the access road, it is recommended that further work be halted in the area of these finds and that the Cultural Resource Management Program office of the Navajo Nation be notified immediately. Further work in the area of these finds should be suspended until the materials are examined and evaluated by an qualified archaeologist.





WHITE MESA VILLAGE QUADRANGI UTAH 15 MINUTE SERIES (TOPOGRAPHIC)

OPERATOR ARCO OIL & GAS COMPONY	DATE 2-14-83
WELL NAME ENGLISH WN #38	
SEC SENE Z/ T 435 R ZZE COUNTY	SAN JUAN
1 ·	OIAN E OF LEASE
POSTING CHECK OFF:	en e
INDEX	
NID	
MAP	
PROCESSING COMMENTS:  Grain lease anangement	at with
drilling regiments -	The State has
I me constitutional institu	isater to Server
Off this regrest.	- and
APPROVAL LETTER:	*
SPACING: UNIT c-3-	CAUSE NO. & DATE
<b>c-3-</b> b	c
SPECIAL LANGUAGE:	
Spacing acception granted as	administrativel.
similed by the cited order	<i>7</i>


V	RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA (	ON PLAT	MAF
V	AUTHENTICATE LEASE AND OPERATOR INFORMATION		
J	VERIFY ADEQUATE AND PROPER BONDING (N/D)()	,	
W	AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.	- - 4	
	APPLY SPACING CONSIDERATION		
estati Turi	ORDER 124-1 11-10-66		
45 <b>8</b> 60	UNIT	·	
* .	c-3-b		
	c-3-c		
	OUISTANDING OR OVERDUE REPORTS FOR OTHER WELLS OF THE OPERA	ATOR.	
	IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LE	ITER	

ARCO Oil and Gas Omipany
Rocky Mountain District
Post Office Box 5540
Denver, Colorado 80217
Telephone 303 575 7004
J. G. Bradshaw
Manager
Engineering

February 16, 1983

State of Utah
Natural Resources and Energy
Division of Oil, Gas, and Mining
4241 State Office Building
Salt Lake City, Utah 84114





DIVISION OF GAS & MINING

ATTENTION: Holding File in Care of Norm Stout

Re: Exception to Cause #124-1, Dated November 10, 1966

Dear Mr. Stout:

Regarding ARCO's APD for the English WN #38, we are hereby requesting exception to Cause #124-1 of the Utah Oil and Gas Conservation Commission, requiring that the Coconino formation be drilled on 20 acre-spacing and that no unit well shall be located nearer than 660' from any other producing unit well.

This unorthodox location is necessary based on the following geologic and economic conditions. The proposed well will be drilled in an area where there is possibly trapped oil unswept from the natural water drive. There may be a potential for new reserves through the improvement of areal and vertical sweep in this field. Economics for this well are favorable.

There has been no new drilling to the Coconino sandstone in this unit since the late 1960's. We believe the drilling of this well #38 should give us valuable information to evaluate if recovery can indeed be improved by infill drilling which is so often the case in water drive fields.

The proposed English WN #38 Coconino oil well is within 660' of the English WN #12, English WN #14, English WN #27, and English WN #33. Its location is 1450' FNL and 90' FEL of Section 21, T43S-R22E. The ownership of all oil and gas leases within a radius of 660' of the proposed location of this well and on the entire English Unit is common with the ownership of the oil and gas leases under this proposed location. Such leases are jointly owned by ARCO 50%, Tenneco 12.5%, and Conoco 37.5%. Pursuant to the operating contract dated March 1, 1948, by and between Byrd-Frost, Inc. and Western Natural Gas Company, et.al., as amended, Atlantic Richfield has acquired the operating rights in and to the subject Navajo Indian Tribal lease where subject well is to be located. Atlantic Richfield Company's designation as operator of said lease gives it control of the acreage within a 660' radius of the proposed non-standard location and renders adjoining interest owner approval unnecessary.

Attached are a topographic map showing the proposed location and the other four wells within the 660' radius, and a structure map showing the same.


Sincerely,


Rodney a. Kiel Rodney A. Kiel

Operations/Analytical Engineer

RAK:rlr

Attachment





## February 22, 1983

Arco Oil and Gas Company Division of Atlantic Richfield P. O. Box 5540 Denver, Colorado 80217

> RE: Well No. English WN #38 SENE Sec. 21, T.438, R.22E San Juan County, Utah

#### Guntlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 124-1 dated November 10, 1966. Spacing exception granted as administratively provided by the cited order.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Engineer

CLEON B. FRIGHT - Director

Office: 535-5771

OR

Office: 533-5771

Home: 571-6068 Home: 466-4455

Enclosed please find Ferm OGC-8-X, which is to be completed whether or not water sands (acquifiers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30871.

Marin

Norman C. Stout

Administrative Assistant

NCS/as

cc: Oil & Gas Operations BLM - Farmington, N. M. Bureau of Indian Affairs

Enclosure

ARCO Oil and Gas ( pany
Rocky Mountain District
717-17th Street
Mailing address: P.O. Box 5540
Denver, Colorado 80217
Telephone 303 575 7000



March 7, 1983

Bureau of Land Management Oil and Gas Division Drawer 600 Farmington, New Mexico 87499-0600

Attn:

Steve Schaffron

Marcia Petta

Re:

English WN #38 Well Section 21-T43S-R22E San Juan County, Utah



DIVISION OF OIL. GAS & MINING

Attached is our Sundry Notice regarding your phone conversations in the last week of February and on March 4, 1983, with Mr. Peter Tibbitts, ARCO Drilling Engineer. After you have received and inspected this Sundry Notice, please contact Mr. Tibbitts at (303) 293-7064 and he will arrange a meeting at the location, along with the dirt contractors, so that this revised pit design, meeting both your and our requirements, can be explicitly communicated to the dirt contractors. If there are any problems, please call Mr. Tibbitts.

Very truly yours,

W. A. Walther, Jr.
Operations Manager

Attch.


cc: Utah Division of Oil, Gas and Mining

Form Approved. Budget Bureau No. 42-R1424

5. LEASE

## UNITED STATES

DEPARTMENT OF THE INTERIOR	I-149-IND-7180				
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME				
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	Navajo 7. UNIT AGREEMENT NAME JOA 8. FARM OR LEASE NAME				
1. oil gas cher					
Mell — Mell — Other	9. WELL NO. English WN #38				
2. NAME OF OPERATOR ARCO Oil and Gas Company Division of Atlantic Richfield Company	10. FIELD OR WILDCAT NAME				
3. ADDRESS OF OPERATOR	Boundary Butte				
P. O. Box 5540, Denver, Colorado 80217	11. SEC., T., R., M., OR BLK. AND SURVEY OR				
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1370' FNL & 90' FEL AT TOP PROD. INTERVAL:	AREA 21-32S-22E  12. COUNTY OR PARISH 13. STATE				
AT TOTAL DEPTH: Approx the same	San Juan Utah				
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-037-30871				
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)				
SUBSEQUENT REPORT OF SUBSEQUEN					
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	irectionally drilled, give subsurface locations and				
Attached is a revised Exhibit #4 intended to	replace the original				
Exhibit #4 sent to your office as an attachmen					
This revised Exhibit #4 proposes a smaller res					
additional 30' from the surface drop off (edge					
your request. To satisfy your requirements of pit, a bentonitic clay lining will be placed :					
on the north and west sides, of sufficient thickness to prevent leakage of reserve pit fluids. In addition, due to a 60% reduction in the proposed size of the reserve pit, we request authorization to haul any excessive fluid accumulations in the reserve pit to the reserve pit used on the					
English WN $\#37$ well location at 610' FSL & 194 San Juan County, Utah.	40' FEL, Section 22-T43S-R22E,				
Subsurface Safety Valve: Manu. and Type	Set @ Ft.				
18. I hereby certify that the foregoing is true and correct					
SIGNED W A Walther Ir	anage 6ATE 3-7-83				
(This space for Federal or State off	ice use)				
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE				



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

September 12, 1983

ARCO Oil & Gas Company P. O. Box 5540 Denver, Colorado 80217

> Re: Well No. English WN # 38 1370' FNL, 90' FEL SE NE, Sec. 21, T. 43S, R. 22E. San Juan County, Utah

#### Gentlemen:

In reference to the above mentioned well, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill this well, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

10/4/83 > ARGO ADVISED

THAT THEY WILL

BD SPADDING THIS
WELL SOON: > Cari Furse
Well Records Specialist

THEREFORE THE 2nd Notice Letter CE/cf can be deliged.

Lari Furse



## United States Department of the Interior

3162 (U-065) (SL-067701) (U-21129) (U-04967-C)

IN REPLY REFER TO

Moab District
P. 0. Box 970
Moab, Utah 84532
RECEIVED

MAR U 7 1985

05 MAR 1985

State of Utah Division of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203

DIVISION OF OIL GAS & MINING

Attention: Claudia L. Jones

Re: Requests on Status of Wells

#### Gentlemen:

We are replying to your requests for status on the following wells:

1) Dugan Production Corporation Well No. Bluff Unit 15 Sec. 28, T. 39 S., R. 23 E. Lease SL-067701

The APD was approved December 21, 1984. We show no activity on the above location. Their approval is in effect until December 21, 1985.

2) F-L Energy
Well No. Federal 1-20
Sec. 20, T. 15 S., R. 9 E.
Lease U-21129

We show no activity at this location.

3) Fortune Oil Company Well No. Federal 77-31 Sec. 21, 1. 15½ S., R. 25 E. Lease U-04967-C

On Sundry Notice accepted February 2, 1984, the Company advised the subject well remained a location only. They anticipated drilling operations to be conducted during the spring/summer of 84.



4) ARCO Oil and Gas Company Well No. English WN-38 Sec. 21, T. 43 S., R. 22 E. Lease I-149-IND-7180


We are returning your request. This well is handled by the Bureau of Land Management, Farmington Resource Area, Caller Service 4104, Farmington, NM 87499.

If you have any questions, please contact the Branch of Fluid Minerals (801) 259-6111.

Sincerely,

District Manager

Enclosures: 2-Sundry Notices 2-Letters



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

May 1, 1985

Bureau of Land Management Branch of Fluid Minerals P O Box 970 Moab, Utah 84532

Attention: Ms. Carol Fruediger

Dear Carol:

Re: Well No. English WN 38 - Sec. 21, T. 43S., R. 22E.,
San Juan County, Utah - Indian Lease No.: I-149-IND-7180
Operator of Record: ARCO Oil & Gas Company

The above referenced well in your district was given state approval to drill February 22, 1983. This office has not received notification of any activity on this location.

Please let me know what action, if any, the Bureau of Land Management is taking on this well.

Thank you for your help in keeping our records up to date.

Sincerely,


Pam Kenna

Well Records Specialist

Enclosure

cc: Dianne R. Nielson Ronald J. Firth John R. Baza File

01705/16





355 M. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

080802

August 7, 1986

Arco Oil and Gas Company P.O. Box 5540 Denver, Colorado 80217

Gentlemen:

RE: Well No. English WN #38, Sec. 21, T.43S, R.22E, San Juan County, Utah, API No. 43-037-30871

Due to excessive time delay in commencing drilling operations, approval to drill the subject well is hereby rescinded, effective one calendar month from the date of this notice.

If it is your intent to proceed with operations on the well, you must submit a request for extension of the approval to drill within the one month grace period. After the grace period, a new Application for Permit to Drill must be filed with this office for approval, prior to future drilling of the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

John R. Baza

Petroleum Engineer

sb

cc: BLM-Farmington D. R. Nielson R. J. Firth

√ell file D278T-91